Author index

Abenavoli, M.R., De Santis, C., Sidari, M., Sorgonà, A., Badiani, M. & Cacco, G. Influence of coumarin on net the nitrate uptake in durum wheat, 619
Adam, N.R. *see* Cousins, A.B.
Adams, M.A. *see* Gessler, A.
Adamsen, F.J. *see* Kimball, B.A.
Albrechtová, J. *see* Soukupová, J.
Alexander, I.J. *see* Moyersoen, B.
Alfayete, M.C. *see* Vega-Hernández, M.C.
Allison, G. Plasmid drawing software, 20
Alonso, C. & Herrera, C.M. Patterns made of patterns: variation and covariation of leaf nutrient concentrations within and between populations of *Prunus mahaleb*, 629
Aphalo, P.J. *see* de la Rosa, T.M.
Ashton, N.W. *see* Champagne, C.E.M.

Badiani, M. *see* Abenavoli, M.R.
Bago, B. *see* Pfeffer, P.E.
Bahauddin, D. *see* Reich, P.B.
Battey, N. Life everywhere, 18
Baumgartner, S. *see* Pavis, N.
Becker, P. *see* Moyersoen, B.
Bengston, W. *see* Reich, P.B.
Berendse, F. *see* Hoosbeek, M.R.
Bock, A. *see* Nehls, U.
Bolger, T.P. *see* Lilley, J.M.
Bolger, T.P. *see* Lilley, J.M.
Boller, T. *see* Bonanomi, A.
Bonanomi, A., Oetiker, J.H., Guggenheim, R., Boller, T., Wiemken, A. & Vögeli-Lange, R. Arbuscular mycorrhizas in mini-mycorrhizotrons: first contact of *Medicago truncatula* roots with *Glomus intraradices* induces chalcone synthase, 573
Boucaud, J. *see* Pavis, N.
Boucaud, J. *see* Pavis, N.
Bouma, T.J., Yanai, R.D., Elkin, A., Hartmond, U., Flores-Alva, D. & Eissenstat, D.M. Estimating age-dependent costs and benefits of roots with contrasting life span: comparing apples and oranges, 685
Boyd, R.S. *see* Davis, M.A.
van Breemen, N. *see* Hoosbeek, M.R.
Britto, D.T. & Kronzucker, H.J. Can unidirectional influx be measured in higher plants? A mathematical approach using parameters from efflux analysis, 37
Brooks, T. *see* Leavitt, S.W.
Brooks, T.J. *see* Kimball, B.A.
Brooks, T.J. *see* Ottman, M.J.
Burkart, S. *see* Rodriguez, D.

Cacco, G. *see* Abenavoli, M.R.
Ceulemans, R. *see* Lin, J.
Champagne, C.E.M. & Ashton, N.W. Ancestry of KNOX genes revealed by byrophyte (*Physcomitrella patens*) homologs, 23
Chatterton, N.J. *see* Pavis, N.
Clark, H. *see* Edwards, G.R.
Coleman, J.S. *see* Nowak, R.S.
Colpaert, J.V. *see* Van Tichelen, K.K.
Cory, J. Biopesticides – use and delivery, 516
Cousins, A.B., Adam, N.R., Wall, G.W., Kimball, B.A., Pinter Jr., P.J., Leavitt, S.W., LaMorte, R.L., Matthias, A.D., Ottman, M.J., Thompson, T.L. & Webber, A.N. Reduced photorespiration and increased energy-use efficiency in young CO_2-enriched sorghum leaves, 275
Craine, J. *see* Reich, P.B.
Craine, J.M. & Reich, P.B. Elevated CO_2 and nitrogen supply alter leaf longevity of grassland species, 397
Craine, J.M., Wedin, D.A. & Reich, P.B. Grassland species effects on soil CO_2 flux track the effects of elevated CO_2 and nitrogen, 425
Curtis, P.S. *see* Wang, X.Z.

Daepp, M., Nösberger, J. & Lüscher, A. Nitrogen fertilization and developmental stage alter the response of *Lolium perenne* to elevated CO_2, 347
Dahlberg, A. Community ecology of ectomycorrhizal fungi: an advancing interdisciplinary field, 555
Damm, E. *see* Majdi, H.
Davis, M.A., Pritchard, S.G., Boyd, R.S. & Prior, S.A. Developmental and induced responses of nickel-based and organic defences of the nickel-hyperaccumulating shrub, *Psychotria douarrei*, 49
Dazzo, F.B. *see* Vega-Hernández, M.C.
De Fatima Loureiro, M. *see* James, E.K.
De Santis, C. *see* Abenavoli, M.R.
deAngelis, P. *see* Miglietta, F.
DeFalco, L.A. *see* Nowak, R.S.

Ecke, M. *see* Nehls, U.
Eckstein, R.L. & Karlsson, P.S. Variation in nitrogen-use efficiency among and within subarctic graminoids and herbs, 641
Edwards, G.R., Newton, P.C.D., Tilbrook, J.C. & Clark, H. Seedling performance of pasture species under elevated CO_2, 359
Eissenstat, D.M. *see* Bouma, T.J.
Elkin, A. *see* Bouma, T.J.
Ellsworth, D. *see* Reich, P.B.
Ellsworth, D.S. *see* Lee, T.D.
Ewert, F. *see* Rodriguez, D.

Finlay, R. *see* Lindahl, B.
Flores-Alva, D. *see* Bouma, T.J.
Foyer, C.H. *see* Husain, S.E.

Foyer, C.H. *see* Husain, S.E.
Franco, A.A. *see* James, E.K.
Franken, P. & Requena, N. Analysis of gene expression in arbuscular mycorrhizas: new approaches and challenges, 517
Fravolini, A. *see* Williams, D.G.
Fults, J. *see* Norby, R.J.

Gallon, J. *see* Smith, C.
Gange, A.C. Species-specific responses of a root- and shoot-feeding insect to arbuscular mycorrhizal colonization of its host plant, 611
Garcia, R.L. *see* Grossman-Clarke, S.
Geil, R.D. *see* Resendes, C.M.
Gempko, V. *see* Williams, D.G.
Geßler, A., Schrempp, S., Matzarakis, A., Mayer, H., Rennenberg, H. & Adams, M.A. Radiation modifies the effect of water availability on the carbon isotope composition of beech (*Fagus sylvatica*), 653
Gifford, R.M. *see* Lilley, J.M.
Gifford, R.M. *see* Lilley, J.M.
Gilligan, C.A. *see* Stacey, A.J.
Goth, J. *see* Reich, P.B.
Goudriaan, J. *see* Rodriguez, D.
Gower, L.B. *see* Pennisi, S.V.
Grossman-Clarke, S., Pinter Jr, P.J., Kartschall, T., Kimball, B.A., Hunsaker, D.J., Wall, G.W., Garcia, R.L. & LaMorte, R.L. Modelling a spring wheat crop under elevated CO_2 and drought, 315
Grosvernier, P. *see* Hoosbeek, M.R.
Guggenheim, R. *see* Bonanomi, A.
Guinel, F.C. *see* Resendes, C.M.

Haisch, A. *see* Honegger, R.
Hampp, R. *see* Nehls, U.
Hampp, R. *see* Nehls, U.
Harrison, P.A. *see* Pavis, N.
Hartmond, U. *see* Bouma, T.J.
Henschel, K. *see* Theißen, G.
Herrera, C.M. *see* Alonso, C.
Hobbie, E.A., Weber, N.S. & Trappe, J.M. Mycorrhizal vs saprotrophic status of fungi: the isotopic evidence, 601
Högberg, P. *see* Näsholm, T.
Honegger, R. & Haisch, A. Immunocytochemical location of the (1→3) (1→4)-ß-glucan lichenin in the lichen-forming ascomycete *Cetraria islandica* (Icelandic moss), 739
Hoosbeek, M.R., van Breemen, N., Berendse, F., Grosvernier, P., Vasander, H. & Wallén, B. Limited effect of increased atmospheric CO_2 concentration on ombrotrophic bog vegetation, 459
Hunsaker, D.J. *see* Grossman-Clarke, S.
Hunsaker, D.J. *see* Kimball, B.A.
Husain, S.E., James, C., Shields, R. & Foyer, C.H. Manipulation of fruit sugar composition but not content in *Lycopersicon esculentum* fruit by introgression of an acid invertase gene from *Lycopersicon pimpinellifolium*, 65
Husain, S.E., Thomas, B.J., Kingston-Smith, A.H. & Foyer, C.H. Invertase protein, but not activity, is present throughout development of *Lycopersicon esculentum* and *L. pimpinellifolium* fruit, 73
Huss-Danell, K. *see* Näsholm, T.

Jach, M.E. *see* Lin, J.
James, C. *see* Husain, S.E.
James, E.K., de Fatima Loureiro, M., Pott, A., Pott, V.J., Martins, C.M., Franco, A.A. & Sprent, J.I. Flooding-tolerant legume symbioses from the Brazilian Pantanal, 723
Jarabo-Lorenzo, A. *see* Vega-Hernández, M.C.
Johnson, D.W. *see* Norby, R.J.
Johnson, H.B. *see* Leavitt, S.W.
Jordan, D.N. *see* Nowak, R.S.
Julkunen-Tiitto, R. *see* de la Rosa, T.M.

Kabir, Z. *see* Koide, R.T.
Kane, M.E. *see* Pennisi, S.V.
Kappen, L. *see* Kutsch, W.L.
Karlsson, P.S. *see* Eckstein, R.L.
Karlsson, P.S. *see* Weih, M.
Kartschall, T. *see* Grossman-Clarke, S.
Kawashima, S. *see* Sakai, H.
Kibe, T. *see* Koizumi, H.
Kim, H.Y. *see* Okada, M.
Kim, H.Y., Lieffering, M., Miura, S., Kobayashi, K. & Okada, M. Growth and nitrogen uptake of CO_2- enriched rice under field conditions, 223
Kimball, B.A. *see* Cousins, A.B.
Kimball, B.A. *see* Grossman-Clarke, S.
Kimball, B.A. *see* Leavitt, S.W.
Kimball, B.A. *see* Norby, R.J.
Kimball, B.A. *see* Ottman, M.J.
Kimball, B.A., Morris, C.F., Pinter Jr., P.J., Wall, G.W., Hunsaker, D.J., Adamsen, F.J., LaMorte, R.L., Leavitt, S.W., Thompson, T.L., Matthias, A.D. & Brooks, T.J. Elevated CO_2, drought and soil nitrogen effects on wheat grain quality, 295
Kimball, P.J. *see* Williams, D.G.
Kingston-Smith, A.H. *see* Husain, S.E.
Knops, J. *see* Reich, P.B.
Kobayashi, K. *see* Kim, H.Y.
Kobayashi, K. *see* Koizumi, H.
Kobayashi, K. *see* Norby, R.J.
Kobayashi, K. *see* Okada, M.
Kobayashi, K. *see* Sakai, H.
Koide, R.T. & Kabir, Z. Nutrient economy of red pine is affected by interactions between *Pisolithus tinctorius* and other forest-floor microbes, 179
Koizumi, H., Kibe, T., Mariko, S., Ohtsuka, T., Nakadai, T., Mo, W., Toda, H., Seiichi, N. & Kobayashi, K. Effect of free-air CO_2 enrichment (FACE) on CO_2 exchange at the flood-water surface in a rice paddy field, 231
Kronzucker, H.J. *see* Britto, D.T.

Kutsch, W.L., Staack, A., Wötzel, J., Middelhoff, U. & Kappen, L. Field measurements of root respiration and total soil respiration in an alder forest, 157

LaMorte, R. *see* Williams, D.G.
LaMorte, R.L. *see* Cousins, A.B.
LaMorte, R.L. *see* Grossman-Clarke, S.
LaMorte, R.L. *see* Kimball, B.A.
LaMorte, R.L. *see* Leavitt, S.W.
LaMorte, R.L. *see* Ottman, M.J.
Leavitt, S.W. *see* Cousins, A.B.
Leavitt, S.W. *see* Kimball, B.A.
Leavitt, S.W. *see* Ottman, M.J.
Leavitt, S.W. *see* Williams, D.G.
Leavitt, S.W., Pendall, E., Paul, E.A., Brooks, T., Kimball, B.A., Pinter Jr, P.J., Johnson, H.B., Matthias, A., Wall, G.W. & LaMorte, R.L. Stable-carbon isotopes and soil organic carbon in wheat under CO_2 enrichment, 305
Lee, T.D. *see* Reich, P.B.
Lee, T.D. *see* Tjoelker, M.G.
Lee, T.D., Tjoelker, M.G., Ellsworth, D.S. & Reich, P.B. Leaf gas exchange responses of 13 prairie grassland species to elevated CO_2 and increased nitrogen supply, 405
Lehto, T. *see* de la Rosa, T.M.
León-Barrios, M. *see* Vega-Hernández, M.C.
Lev-Yadun, S. Intrusive growth – the plant analog of dendrite and axon growth in animals, 508
Lieffering, M. *see* Kim, H.Y.
Lieffering, M. *see* Okada, M.
Lilley, J.M., Bolger, T.P. & Gifford, R.M. Productivity of *Trifolium subterraneum* and *Phalaris aquatica* under warmer, high CO_2 conditions, 371
Lilley, J.M., Bolger, T.P., Peoples, M.B. & Gifford, R.M. Nutritive value and the nitrogen dynamics of *Trifolium subterraneum* and *Phalaris aquatica* under warmer, high CO_2 conditions, 385
Lin, J., Jach, M.E. & Ceulemans, R. Stomatal density and needle anatomy of Scots pine (*Pinus sylvestris*) are affected by elevated CO_2, 665
Lindahl, B., Finlay, R. & Olsson, S. Simultaneous, bidirectional translocation of ^{32}P and ^{33}P between wood blocks connected by mycelial cords of *Hypholoma fasciculare*, 189
Lucansky, T. *see* Pennisi, S.V.
Lüscher, A. *see* Daepp, M.

Magel, E. *see* Nehls, U.
Majdi, H., Damm, E. & Nylund, J.-E. Longevity of mycorrhizal roots depends on branching order and nutrient availability, 195
Manderscheid, R. *see* Rodriguez, D.
Mariko, S. *see* Koizumi, H.
Marsh, J.F. & Schultze, M. Analysis of arbuscular mycorrhizas using symbiosis-defective plant mutants, 525
Martin, F. Frontiers in mycorrhizal research – genes, loci, dots and spins, 499
Martins, C.M. *see* James, E.K.
Matthias, A. *see* Leavitt, S.W.
Matthias, A.D. *see* Cousins, A.B.
Matthias, A.D. *see* Kimball, B.A.
Matthias, A.D. *see* Ottman, M.J.
Matzarakis, A. *see* Gessler, A.
Mayer, H. *see* Gessler, A.
McConnell, D.B. *see* Pennisi, S.V.
Middelhoff, U. *see* Kutsch, W.L.
Miglietta, F., Peressotti, A., Primo Vaccari, F., Zaldei, A., deAngelis, P. & Scarascia-Mugnozza, G. Free-air CO_2 enrichment (FACE) of a poplar plantation: the POPFACE fumigation system, 465
Mikolajewski, S. *see* Nehls, U.
Miura, S. *see* Kim, H.Y.
Mo, W. *see* Koizumi, H.
Morris, C.F. *see* Kimball, B.A.
Moyersoen, B., Becker, P. & Alexander, I.J. Are ectomycorrhizas more abundant than arbuscular mycorrhizas in tropical heath forests?, 591
Mullen, R.B. *see* Schadt, C.W.
Münster, T. *see* Theißen, G.

Naeem, S. *see* Reich, P.B.
Nakadai, T. *see* Koizumi, H.
Nakamura, H. *see* Okada, M.
Näsholm, T., Huss-Danell, K. & Högberg, P. Uptake of glycine by field grown wheat, 59
Nehls, U., Bock, A., Ecke, M. & Hampp, R. Differential expression of the hexose-regulated fungal genes *AmPAL* and *AmMst1* within *Amanita/Populus* ectomycorrhizas, 583
Nehls, U., Mikolajewski, S., Magel, E. & Hampp, R. Carbohydrate metabolism in ectomycorrhizas: gene expression, monosaccharide transport and metabolic control, 533
Newton, P.C.D. *see* Edwards, G.R.
Norby, R.J. *see* Wullschleger, S.D.
Norby, R.J., Kobayashi, K. & Kimball, B.A. Rising CO_2 – future ecosystems, 215
Norby, R.J., Todd, D.E., Fults, J. & Johnson, D.W. Allometric determination of tree growth in a CO_2-enriched sweetgum stand, 477
Nösberger, J. *see* Daepp, M.
Nowak, R.S., DeFalco, L.A., Wilcox, C.S., Jordan, D.N., Coleman, J.S., Seemann, J.R. & Smith, S.D. Leaf conductance decreased under free-air CO_2 enrichment (FACE) for three perennials in the Nevada desert, 449
Nylund, J.-E. *see* Majdi, H.
Oetiker, J.H. *see* Bonanomi, A.
Ohtsuka, T. *see* Koizumi, H.
Okada, M. *see* Kim, H.Y.
Okada, M., Lieffering, M., Nakamura, H., Yoshimoto, M., Kim, H.Y. & Kobayashi, K. Free-air CO_2 enrichment (FACE) using pure CO_2 injection: system description, 251
Oleksyn, J. *see* Tjoelker, M.G.
Olsson, S. *see* Lindahl, B.
Ottman, M. *see* Williams, D.G.
Ottman, M.J. *see* Cousins, A.B.

Ottman, M.J., Kimball, B.A., Pinter, P.J., Wall, G.W., Vanderlip, R.L., Leavitt, S.W., LaMorte, R.L., Matthias, A.D. & Brooks, T.J. Elevated CO_2 increases sorghum biomass under drought conditions, 261
Ougham, H.J. Methods in plant electron microscopy and cytochemistry, 513

Paul, E.A. *see* Leavitt, S.W.
Paul, N. Plant responses to UV-B: time to look beyond stratospheric ozone depletion?, 5
Pavis, N., Boucaud, J. & Prud'homme, M.P. Fructans and fructan-metabolizing enzymes in leaves of *Lolium perenne*, 97
Pavis, N., Chatterton, N.J., Harrison, P.A., Baumgartner, S., Praznik, W., Boucaud, J. & Prud'homme, M.P. Structure of fructans in roots and leaf tissues of *Lolium perenne*, 83
Pendall, E. *see* Leavitt, S.W.
Pennisi, S.V., McConnell, D.B., Gower, L.B., Kane, M.E. & Lucansky, T. Intracellular calcium oxalate crystal structure in *Dracaena sanderiana*, 111
Peoples, M.B. *see* Lilley, J.M.
Peressotti, A. *see* Miglietta, F.
Pérez-Galdona, R. *see* Vega-Hernández, M.C.
Peters, B.A.M. *see* Troelstra, S.R.
Pfeffer, P.E., Bago, B. & Shachar-Hill, Y. Exploring mycorrhizal function with NMR spectroscopy, 543
Pinter Jr, P.J. *see* Grossman-Clarke, S.
Pinter Jr, P.J. *see* Leavitt, S.W.
Pinter Jr, P.J. *see* Williams, D.G.
Pinter Jr., P.J. *see* Cousins, A.B.
Pinter Jr., P.J. *see* Kimball, B.A.
Pinter, P.J. *see* Ottman, M.J.
Porley, R. D. Liverworts: the definitive flora, 19
Pott, A. *see* James, E.K.
Pott, V.J. *see* James, E.K.
Praznik, W. *see* Pavis, N.
Primo Vaccari, F. *see* Miglietta, F.
Prior, S.A. *see* Davis, M.A.
Pritchard, S.G. *see* Davis, M.A.
Prud'homme, M.P. *see* Pavis, N.
Prud'homme, M.P. *see* Pavis, N.
Pugnaire, F. Variability of inorganic nutrient concentration in leaves, 506

Reich, P.B. *see* Craine, J.M.
Reich, P.B. *see* Craine, J.M.
Reich, P.B. *see* Lee, T.D.
Reich, P.B. *see* Tjoelker, M.G.
Reich, P.B., Tilman, D., Craine, J., Ellsworth, D., Tjoelker, M.G., Knops, J., Wedin, D., Naeem, S., Bahauddin, D., Goth, J., Bengston, W. & Lee, T.D. Do species and functional groups differ in acquisition and use of C, N and water under varying atmospheric CO_2 and N availability regimes? A field test with 16 grassland species, 435
Rennenberg, H. *see* Gessler, A.
Requena, N. *see* Franken, P.
Resendes, C.M., Geil, R.D. & Guinel, F.C. Mycorrhizal development in a low nodulating pea mutant, 563
Rock, B.N. *see* Soukupová, J.
Rodriguez, D., Ewert, F., Goudriaan, J., Manderscheid, R., Burkart, S. & Weigel, H.J. Modelling the response of wheat canopy assimilation to atmospheric CO_2 concentrations, 337
de la Rosa, T.M., Julkunen-Tiitto, R., Lehto, T. & Aphalo, P.J. Secondary metabolites and nutrient concentrations in silver birch seedlings under five levels of dailt UV-B exposure and two relative nutrient addition rates, 121

Sakai, H., Yagi, K., Kobayashi, K. & Kawashima, S. Rice carbon balance under elevated CO_2, 241
Scarascia-Mugnozza, G. *see* Miglietta, F.
Schadt, C.W., Mullen, R.B. & Schmidt, S.K. Isolation and phylogenetic identification of a dark-septate fungus associated with the alpine plant *Ranunculus adoneus*, 747
Schmidt, S.K. *see* Schadt, C.W.
Schrempp, S. *see* Gessler, A.
Schultze, M. *see* Marsh, J.F.
Seemann, J.R. *see* Nowak, R.S.
Seiichi, N. *see* Koizumi, H.
Shachar-Hill, Y. *see* Pfeffer, P.E.
Shields, R. *see* Husain, S.E.
Sidari, M. *see* Abenavoli, M.R.
Smant, W. *see* Troelstra, S.R.
Smith, C. & Gallon, J. Signalling: no plant is an island, 11
Smith, S.D. *see* Nowak, R.S.
Sorgonà, A. *see* Abenavoli, M.R.
Soukupová, J., Rock, B.N. & Albrechtová, J. Comparative study of two spruce species in a polluted mountainous region, 133
Sprent, J.I. *see* James, E.K.
Staack, A. *see* Kutsch, W.L.
Stacey, A.J., Truscott, J.E. & Gilligan, C.A. Soil-borne pathogens: scaling-up from hyphal to colony behaviour and the probability of disease transmission, 169

Tan, P.Y. & Whitlow, T. Physiological responses of *Catharanthus roseus* (periwinkle) to ash yellows phytoplasmal infection, 757
Theißen, G, Münster, T. & Henschel, K. Why don't mosses flower?, 1
Thomas, B.J. *see* Husain, S.E.
Thomas, H. Surveying the plant kingdom, 513
Thomas, H. The facts of photosunthesis – an accessible soursce, 515
Thompson, T.L *see* Kimball, B.A.
Thompson, T.L. *see* Cousins, A.B.
Tilbrook, J.C. *see* Edwards, G.R.
Tilman, D. *see* Reich, P.B.
Tjoelker, M.G. *see* Lee, T.D.
Tjoelker, M.G. *see* Reich, P.B.

Tjoelker, M.G., Oleksyn, J., Lee, T.D. & Reich, P.B. Direct inhibition of leaf dark respiration by elevated CO_2 is minor in 12 grassland species, 419
Toda, H. *see* Koizumi, H.
Todd, D.E. *see* Norby, R.J.
Trappe, J.M. *see* Hobbie, E.A.
Troelstra, S.R., Wagenaar, R., Smant, W. & Peters, B.A.M. Interpretation of bioassays in the study of interactions between soil organisms and plants: involvement of nutrient factors, 697
Truscott, J.E. *see* Stacey, A.J.
Tyree, M.T. Capillary and sap ascent in a resurrection plant: does theory fit the facts?, 9

Van Tichelen, K.K., Colpaert, J.V. & Vangronsveld, J. Ectomycorrhizal protection of *Pinus sylvestris* against copper toxicity, 203
Vanderlip, R.L. *see* Ottman, M.J.
Vangronsveld, J. *see* Van Tichelen, K.K.
Vasander, H. *see* Hoosbeek, M.R.
Vega-Hernández, M.C., Pérez-Galdona, R., Dazzo, F.B., Jarabo-Lorenzo, A., Alfayete, M.C. & León-Barrios, M. Novel infection process in the indeterminate root nodule symbiosis between *Chamaecytisus proliferus* (tagasaste) and *Bradyfhizobium* sp., 707
Vögeli-Lange, R. *see* Bonanomi, A.

Wagenaar, R. *see* Troelstra, S.R.
Wall, G.W. *see* Cousins, A.B.
Wall, G.W. *see* Grossman-Clarke, S.
Wall, G.W. *see* Kimball, B.A.
Wall, G.W. *see* Leavitt, S.W.
Wall, G.W. *see* Ottman, M.J.
Wall, G.W. *see* Williams, D.G.
Wallén, B. *see* Hoosbeek, M.R.
Wang, X.Z. & Curtis, P.S. Gender-specific responses of *Populus tremuloides* to atmospheric CO_2 enrichment, 675
Webber, A.N. *see* Cousins, A.B.
Weber, N.S. *see* Hobbie, E.A.
Wedin, D. *see* Reich, P.B.
Wedin, D.A. *see* Craine, J.M.
Weigel, H.J. *see* Rodriguez, D.
Weih, M. & Karlsson, P.S. Growth response of Mountain birch to air and soil temperature: is increasing leaf-nitrogen content an acclimation to lower air temperature?, 147
Welbaum, G.E. Seed technology and its biological basis, 499
Whitlow, T. *see* Tan, P.Y.
Wiemken, A. *see* Bonanomi, A.
Wilcox, C.S. *see* Nowak, R.S.
Williams, D.G., Gempko, V., Fravolini, A., Leavitt, S.W., Wall, G.W., Kimball, P.J., Pinter Jr, P.J., LaMorte, R. & Ottman, M. Carbon isotope discrimination by *Sorghum bicolor* under CO_2 enrichment and drought, 285
Wötzel, J. *see* Kutsch, W.L.
Wullschleger, S.D. & Norby, R.J. Sap velocity and canopy transpiration in a sweetgum stand exposed to free-air CO_2 enrichment (FACE), 489
Yagi, K. *see* Sakai, H.
Yanai, R.D. *see* Bouma, T.J.
Yoshimoto, M. *see* Okada, M.

Zaldei, A. *see* Miglietta, F.

Keyword index

Achnatherum hymenoides (indian ricegrass), 449
Aeschynomene, 723
air temperature, 147
alder, 157
allelochemicals, 619
allocation, 347
allometry, 477
alpine tundra, 747
Amanita muscaria, 533
Amanita muscaria, 583
amino acid uptake, 59
ammonium, 37
ammonium, 59
Ammophila arenaria (L.) Link, 697
apple, 685
appressorium, 573
arbuscular mycorrhiza, 517
arbuscular mycorrhiza, 565
arbuscular mycorrhiza, 611
arbuscular mycorrhizas, 543
arbuscules, 525
ash yellows, 757
atmospheric CO_2, 215
atmospheric CO_2, 397

barley (1→3) (1→4)-b-glucan, 739
barley, 37
basal area increment, 477
basidiomycete, 583
basidiomycetes, 189
Betula pendula, 121
Betula pendula, 5
Betula pubescens ssp. *czerepanovii*, 147
bioassay, 697
biochemical limitation, 757
biomass loss rate, 641
biomass partitioning, 347
biomass, 435
biomineralization, 111
birch, 121
birch, 5
bog, 459
Bradyrhizobium sp., 707
branching order, 195
Bryophytra, 1
Bryophyta, 23
bundle sheath leakiness, 285

^{13}C, 59
C_4 photosynthesis, 275
C_4 photosynthesis, 285
caatinga, 591
calcium oxalate, 111
calcium, 9
campina, 591
canopy photosynthesis, 241
canopy photosynthesis, 337
canopy respiration, 241
canopy transpiration, 489
carbohydrate, 385
carbon allocation, 533
carbon balance, 241
carbon dioxide, 223
carbon dioxide, 251
carbon dioxide, 371
carbon dioxide, 385
carbon dynamics, 601
Carbon isotope discrimination, 285
carbon isotope discrimination, 653
carbon isotopes, 305
carbon sequestration, 459
carbon sequestration, 305
Carex arenaria L., 697
Catharanthus roseus (periwinkle), 757
cDNA arrays, 499
cDNA arrays, 517
Cedar Creek Natural History Area, 397
cell invasion, 508
chlorophyll content, 757
chlorophyll fluorescence, 757
citrus, 685
climate change, 371
climate change, 385
CO_2 effect, 315
CO_2 enrichment (FACE), 347
CO_2 flux, 231
CO_2, 337
CO_2-air mixing, 465
Common Principal Components, 629
community structure, 499
compartmental analysis, 37
control performance, 251
copper toxicity, 213
coumarin, 619
crack entry, 707
crystal idioblast, 111
cyclic AMP, 533

dark-septate endophytic (DSE) fungi, 747
defence response, 573
Defoliation, 83
design, 251
differential RNA display, 517
differentiation, 508
Dipterocarpaceae, 591
direct inhibition, 419
Discolobium, 723
diurnal change, 231
drought, 285
drought, 295
dune ecosystems, 697

early developmental stages of AM, 573
ecosystem processes, 555
ecosystems, 215
ectomycorrhiza, 213
ectomycorrhiza, 533
ectomycorrhizal community ecology, 555
ectomycorrhizal fungus, 179
ectomycorrhizas, 543
efflux, 37
electronic autoradiography, 189
elemental defence, 49
elevated atmospheric CO_2 concentration, 449
elevated atmospheric CO_2, 665
elevated carbon dioxide, 435
elevated carbon dioxide, 675
elevated CO_2, 241
elevated CO_2, 261
elevated CO_2, 275
elevated CO_2, 285
elevated CO_2, 315
elevated CO_2, 347
elevated CO_2, 359
elevated CO_2, 405
elevated CO_2, 419
elevated CO_2, 425
elevated CO_2, 459
elevated CO_2, 465
elevated CO_2, 477
energy efficiency, 275
enrichment, 251
environmental scanning electron microscopy (ESEM), 573
epidermal block, 565
EU-project, 465
evapotranspiration, 489
Evernia prunastri, 739
exposure-response curves, 121
expressed sequence tags, 517
expsure response curves, 5
extracellular gelatinous matrix, 739

FACE, 285
Face, 359
FACE, 489
Fagus sylvatica, 653

fibres, 508
flooding, 723
foliage, 653
forage, 371
forbs, 419
forbs, 435
forest productivity, 477
free air CO_2 enrichment (FACE), 251
free air CO_2 enrichment (FACE), 295
free-air CO_2 enrichment (FACE), 215
free-air CO_2 enrichment (FACE), 223
free-air CO_2 enrichment (FACE), 261
free-air CO_2 enrichment (FACE), 275
free-air CO_2 enrichment (FACE), 305
free-air CO_2 enrichment (FACE), 459
free-air CO_2 enrichment (FACE), 465
free-air CO_2 enrichment (FACE), 477
free-air CO_2 enrichment, 285
fructan : fructan 6G-fructosyltransferase, 97
fructans, 83
Fructans, 97
fruit development, 73
functional ecology, 499
functional groups, 405
Functional groups, 435
fungal evolution, 601
fungal growth, 169
fungal populations, 499

G-proteins, 9
gamma irradiation, 697
GC-MS, 59
gender-specific variation, 675
gene expression, 517
gene expression, 533
genomics, 499
global change, 295
global change, 305
global change, 477
global change, 489
global warming, 371
Glomus fasciculatum, 611
Glomus mosseae, 611
grafting, 565
grasses, 419
grasses, 435
grasslands, 397
grasslands, 425
growth, 147
growth, 223
growth, 261
guard cells, 9

harvest index, 347
heat pulse probes, 489
heath forest, 591
heavy metals, 213
herbivory, 49
hexose importer, 583
hexose, 65
histochemistry, 133

immuno-gold labelling, 73
in vitro, 573
individual variation, 629
infection, 707
influx, 37
insect herbivory, 611
interactions, 179
invertase antibodies, 73
invertase protein, 73
Invertase, 65

k constant, 37
kerangas, 591
KNOTTED 1-like (KNOX) genes, 1
KNOTTED1-like (*KNOX*) genes, 23

Larrea tridentata (creosotebush), 449
laticifers, 508
leaf area index (LAI), 261
leaf conductance, 449
leaf dark respiration, 675
leaf gas exchange, 757
leaf life span, 641
leaf longevity, 397
leaf nutrients covariation, 629
leaf temperature, 449
legumes, 435
Legumes, 525
Lemna perpusilla, 231
life-forms, 641
light, 653
lignin, 133
Liquidambar styraciflua (sweetgum), 477
Liquidambar styraciflua (sweetgum), 489
Lolium perenne (ryegrass), 347
Lolium, 83
Lolium, 97
longevity, 195
Lotus japonicus, 525
low nodulator, 565
LTSEM, 739
Lycopersicon pimpinellifolium, 73

maceration technique, 739
mathematical model, 169
mean residence time, 641
median longevity, 195
Medicago truncatula, 525
mesophyll, 665
mineral composition of leaves, 629
mineral nutrients, 121
mineral nutrients, 5
minirhizotron, 685
minirhizotrons, 195
modeling scale, 215
modelling, 337
molecular phylogeny, 601
molecular signalling, 9
monoclonal antibody, 739
monosaccharide transporter, 533
multitrophic interactions, 611
mutants, 525
mycorrhiza, 157
mycorrhiza, 525
mycorrhizal fungi, 601
mycorrhizal roots, 195
mycorrhizas, 555
Myrtaceae, 591

^{15}N-glycine, 59
N availability, 435
N fertilization, 347
N fertilization, 397
N fertilization, 425
N-13, 37
needle anatomy, 665
Neptunia, 723
Ni hyperaccumulation, 49
nitrate uptake and translocation, 619
nitrate, 59
nitrogen availability, 405
nitrogen dynamics, 601
nitrogen economy, 117
nitrogen fixation, 385
nitrogen, 195
nitrogen, 223
nitrogen, 295
nitrogen, 435
NMR, 543
nodulation, 707
nuclear magnetic resonance, 543
nutrient acquisition, 697
nutrient availability, 563
nutrient dynamics, 563
nutrient productivity, 641
nutrient supply, 563
nutrient translocation, 189
nutrition, 179
nutritive value, 385

Otiorhynchus sulcatus, 611

^{32}P, 685
Pantanal, N_2 fixation, 723
pastures, 371
pathogens, 573
pathozone profile, 169
pea mutant, 565
peat, 459
phalaris (*Phalaris aquatica*), 385
Phalaris aquatica, 371
phenolics, 133
phenotypic integration, 629
phenotypic plasticity, 563

phenylalanine ammonium lyase, 583
phloem, 653
phosphorus uptake, 685
phosphorylation/dephosphorylation, 9
photorespiration, 275
photosynthesis, 675
photosynthetic acclimation, 405
photosynthetic pigments, 133
Physcomitrella (*Aphanoregma*), 23
Physcomoterlla (Aphanoregma), 1
phytoplasma, 757
Picea abies (Norway spruce), 133
Picea abies, 533
Picea pungens (Colorado blue spruce), 133
Pinus resinosa, 179
Pinus sylvestris (Scots pine), 213
Pinus sylvestris (Scots pine), 665
Pisolithus tinctorius, 179
plant crystals, 111
plant diversity, 425
plant ecology, 555
plant growth, 697
plant hormones, 9
plant strategies, 641
plant–microbe interactions, 499
Pleuraphis rigida (big galleta grass), 449
Poplar, 465
Populus tremula x tremuloides, 533
Populus tremuloides, 675
prairie grassland, 405
protein, 295
Prunus mahaleb, 629
Psychotria, 49

quality, 295
quantitative anatomy, 133

Ranunculus adoneus, 747
raphides, 111
red pine, 179
regulation, 583
relative nutrient addition rate, 121
relative nutrient addition rate, 5
respiration, 419
respiration, 685
restriction of fungal entry, 565
Rhizobium-legume symbiosis, 707
rhizosphere, 157
rice (*Oryza sativa*), 241
rice FACE, 231
rice, 223
rice, 251
root age, 685
root anatomy, 619
root growth, 619
root life span, 685
root respiration, 157
root respiration, 619
root symbiosis, 565
root turnover, 685

sap velocity, 489
saprotrophic fungi, 189
saprotrophic fungi, 601
saprotrophic soil microorganisms, 179
scaling-up, 169
sclereids, 508
secondary metabolites, 121
secondary metabolites, 5
seed, 359
seedling emergence, 359
seedling growth, 359
self and nonself, 508
serpentine, 49
Sesbania exasperata, 723
shoot regulation, 565
signal, 583
Signalling, 9
simulation model, 315
simulation modelling, 685
soil CO_2 flux, 425
soil nitrogen availability, 675
soil organic carbon, 3035
soil pathogens, 697
soil respiration, 157
soil temperature, 147
soil water limitation, 315
soluble solids, 65
SOM, 305
sorghum (*Sorghum bicolor*), 261
sorghum (*Sorghum bicolor*), 275
Sorghum bicolor, 285
spectral indices, 133
Sphagnum, 459
Spirodela polyrhiza, 231
Spirogyra sp., 231
spring wheat, 315
stable isotopes, 601
steady state, 37
stomatal conductance, 405
stomatal density, 665
stomatal limitation, 757
stratospheric ozone depletion, 121
stratospheric ozone depletion, 5
structures, 83
Subarctic, 147
subarctic, 641
subterranean clover (*Trifolium subterraneum*), 385
sucrose, 65
sugar-dependent gene expression, 583
Suillus bovinus, 213
suppressive subtractive hybridization, 517
symbiosis, 525
symbiosis, 543
symbiosis-regulated genes, 499
synergism, 179
synthesis, 83
synthesis, 97

tagasaste (*Chamaecytisus proliferus*), 707
TEM, 739
temperature gradient tunnel, 371
temperature, 385
Thelephora terrestris, 213
tomato invertase isoforms, 73
tomato, 65
tracer isotopes, 189
transcript profiling, 499
transmembrane receptor proteins, 9
tree growth, 477
tree line, 147
Trifolium subterraneum, 371
Triticum aestivum (wheat) grain, 295
Triticum aestivum (wheat), 337
Triticum durum, cv. Simeto, 619
tropical forest ecology, 591
tropical mycorrhizas, 591
tylosis, 508

uptake kinetics, 685
UV-B radiation, 121
UV-B rediation, 5

vascular bundle, 665
Vigna lasiocarpa, 723
vine weevil, 611

water availability, 653
water relations, 739
water stress, 261
water use, 489
water-stress, 295
wheat (*Triticum aestivum*), 59
wheat, 305
wood, 653

yield, 223
yield, 261
yield, 347